

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		S143 S145	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/09/08 16:36
		S96 S97	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/04 01:23
		(receiv\$4 data packet input interface header pay\$load compress\$4 cod\$2 rout\$5 (). ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2009/12/01 16:04
L3	1	(US-6963570-\$).did.	USPAT	AND	OFF	2011/03/24 10:22
L5	55	rout\$5 data packet\$4 compress \$5 header pay\$load cod\$4 information receiv\$5 input output forward\$5 (header adj compress\$4) context identifier	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2011/03/24 10:53
L6	4	rout\$5 data packet\$4 compress \$5 header pay\$load cod\$4 information receiv\$5 input output forward\$5 ((HCCID) or (header adj compress\$4 context adj identifier))	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2011/03/24 10:53
L7	4	compressed adj header adj (section or filed or potion)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2011/03/24 10:53
L8	2545	header compressed pay\$load rout\$4 replac\$4 input output	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2011/03/24 10:53
L9	299	forwarding data packet output interface routing compressed header coded information unchanged	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2011/03/24 10:53
S1	2351	709/238.ccls.	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2008/11/03 18:25
S2	1	(rout\$4 packet\$4 compress\$5 domain).ti.	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2008/11/03 18:26
S3	21	(rout\$4 packet\$4 compress\$5). ti.	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2008/11/03 18:26

S4	1	rout\$5 data packet\$4 compress \$5 header pay\$load cod\$4 information receiv\$5 input output forward\$5 ((HCCID) or (header adj compress\$4 context adj identifier)) assign \$4 (first adj header) (second adj header)	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2008/11/03 18:34
S5	3	rout\$5 data packet\$4 compress \$5 header pay\$load cod\$4 information receiv\$5 input output forward\$5 ((HCCID) or (header adj compress\$4 context adj identifier))	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2008/11/03 18:35
S6	1	rout\$5 data packet\$4 compress \$5 header pay\$load cod\$4 information receiv\$5 input output forward\$5 ((header adj compress\$4 context adj identifier)) assign\$4 (first adj header) (second adj header)	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2008/11/03 18:37
S7	2	rout\$5 data packet\$4 compress \$5 header pay\$load cod\$4 information receiv\$5 input output forward\$5 header compress\$4 context identifier assign\$4 (first adj header) (second adj header)	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2008/11/03 18:37
S8	4	("5920566" "6278709").PN.	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2008/11/03 18:39
S9	440	rout\$5 data packet\$4 compress \$5 header pay\$load cod\$4 information receiv\$5 input output forward\$5 header compress\$4 context identifier	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2008/11/03 18:40
S10	0	S8 and S9	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2008/11/03 18:40
S11	0	S9 and S3	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2008/11/03 18:40
S12	448	(rout\$4 compress\$5).ti.	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2008/11/03 18:40
S13	0	S12 and S9	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2008/11/03 18:41

S14	9	S9 and S1	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2008/11/03 18:41
S15	0	"709".cls.	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2008/11/03 18:41
S16	32745	"709".clas.	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2008/11/03 18:41
S17	93	S16 and S9	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2008/11/03 18:41
S18	60110	rout\$5.ti.	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2008/11/03 18:43
S19	2	S18 and S17	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2008/11/03 18:43
S20	29	rout\$5 data packet\$4 compress \$5 header pay\$load cod\$4 information receiv\$5 input output forward\$5 (header adj compress\$4) context identifier	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2008/11/03 18:45
S21	6	("5812527" "5920566" "6278709" "6721333" "6721333" "7079857" "7079857" "7136377" "7136377").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2009/12/01 15:32
S22	0	(receiv\$4 data packet input interface header pay\$load compress\$4 cod\$2 rout\$5 (compress\$4 adj header)).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2009/12/01 15:56
S23	0	(receiv\$4 data packet input interface header pay\$load compress\$4 cod\$2 rout\$5).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2009/12/01 16:04
S24	0	(receiv\$4 data packet input header pay\$load compress\$4 rout\$5).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2009/12/01 16:05
S25	0	(data packet input header pay \$load compress\$4 rout\$5).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2009/12/01 16:05
S26	4938	(data packet input header pay \$load compress\$4 rout\$5)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2009/12/01 16:05
S27	2	(header pay\$load compress\$4 rout\$5 (compress\$4 adj header)).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2009/12/01 16:06

S28	3	decompressed header classify \$4 service class queues ((radio or microwave) adj transmission)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2009/12/01 17:53
S29	1	"20080082550".did.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2009/12/01 19:07
S30	1	"6278709".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/14 03:49
S31	1	"5920566".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/14 03:49
S32	7	(US-7136377-\$ or US-7010303-\$ or US-7079857-\$ or US-6721333-\$ or US-5812527-\$ or US-6278709-\$ or US-5920566-\$).did.	USPAT	AND	OFF	2010/08/26 11:52
S33	4988	709/238.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 11:53
S34	151	(aalto or raisainen).in.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 11:54
S35	0	(data packet input (header adj section) (pay\$load adj section) compress\$5 cod\$4 routing de \$compress\$4).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 11:56
S36	52	(data packet input (header adj section) (pay\$load adj section) compress\$5 cod\$4 routing de \$compress\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 11:57
S37	2	S33 S34	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 11:57
S38	1	S36 S33	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 11:59
S39	0	((header adj section) (pay \$load adj section) compress\$5 cod\$4 routing de\$compress\$4).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 12:28
S40	0	((header adj section) (pay \$load adj section) compress\$5 cod\$4 routing de\$compress\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/08/26 12:28
S41	3	((header adj section) (pay \$load adj section) compress\$5 de\$compress\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/08/26 12:29
S42	422	((header) (pay\$load) compress \$5 de\$compress\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/08/26 12:30

S43	10	((header) (pay\$load) compress \$5 de\$compress\$4).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/08/26 12:30
S44	1	(10/045021).APP.	USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 12:32
S45	0	((compress\$5 adj header) (de \$compress\$4 adj pay\$load)).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/08/26 12:34
S46	0	((compress\$5 adj header) (de \$compress\$4 adj pay\$load)).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 12:34
S47	11	((compress\$5 adj header) (de \$compress\$4 adj pay\$load))	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 12:34
S48	1	(routing compressed header domain).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 12:37
S49	12	(routing compressed header domain)	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/08/26 12:37
S50	1	(compressed adj header adj domain)	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/08/26 12:39
S51	1	(compressed adj header adj domain)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 12:40
S52	0	S33 S42	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/08/26 12:40
S53	0	S32 S42	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/08/26 12:41
S54	0	S42 and (HCCID microwave radio)	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/08/26 12:42
S55	1	S42 and (HCCID microwave radio)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 12:42
S56	1	S32 S42	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 12:42
S57	6	S33 S42	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 12:42
S58	1	(routing compressed header section).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 14:38
S59	6	(routing compressed header).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 14:38

S60	26046	replac\$4 header (section of filed or portion) compress\$5	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 15:48
S61	393	replac\$4 header (section of filed or portion) compress\$5	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/08/26 15:48
S62	0	(replac\$4 header (section of filed or portion) compress\$5). ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/08/26 15:48
S63	4	compressed adj header adj (section or filed or potion)	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/08/26 15:48
S64	4	compressed adj header adj (section or filed or potion)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 15:48
S65	3313	709/238.ccls.	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2010/08/26 15:50
S66	108	S60 S65	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2010/08/26 15:50
S67	9	S61 and input output interface	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/08/26 15:50
S68	21	S61 and input output interface	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 15:50
S69	21	S61 and (input output interface)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/26 15:51
S70	1	compressed header filed input output (replac\$5 adj header adj section)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/29 18:12
S71	1	(replac\$5 adj header adj section)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/29 18:12
S72	2822	(replac\$5 same header same section)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/29 18:12
S73	0	(replac\$5 same header same section pay\$load input output (compressed adj header))	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/08/29 18:13
S74	0	(replac\$5 same header same section pay\$load (compressed adj header))	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/08/29 18:13
S75	2	(replac\$5 same header same section same pay\$load (compressed adj header))	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/29 18:13

S76	509	input output interface compress \$5 header pay\$load coded routing de\$compress\$5	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/29 18:23
S77	0	input output interface compress \$5 header pay\$load coded routing de\$compress\$5	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/08/29 18:25
S78	509	input output interface compress \$5 header pay\$load coded routing de\$compress\$5	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/29 18:25
S79	4988	709/238.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/29 18:26
S80	3	S78 S79	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/29 18:26
S81	6	(routing compressed header). ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/08/29 18:28
S82	2861	header compressed pay\$load rout\$4 replac\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/03 16:28
S83	2356	header compressed pay\$load rout\$4 replac\$4 input output	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/03 16:29
S84	1	header compressed pay\$load rout\$4 replac\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/03 16:29
S85	55	header compressed pay\$load replac\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/03 16:29
S86	1179	header compressed pay\$load rout\$4 replac\$4 input output (radio or microwave)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/03 16:30
S87	17	S85 S86	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/03 16:30
S88	1	"20050185620".did.	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/03 16:43
S89	0	rout\$5 HC domain compress\$4 header de\$compress\$4 (remove\$ or change\$4) replace \$4 (data adj packet) input output HCCID assgin outgoing switching table	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/04 01:20
S90	0	rout\$5 domain compress\$4 header de\$compress\$4 (remove\$ or change\$4) replace \$4 (data adj packet) input output HCCID assgin outgoing switching table	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/04 01:21

S91	4264	rout\$5 domain compress\$4 header de\$compress\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/04 01:21
S92	844	rout\$5 domain compress\$4 header de\$compress\$4 (remove\$ or change\$4) replace \$4 (data adj packet) input output	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/04 01:21
S93	1	rout\$5 domain compress\$4 header de\$compress\$4 (remove\$ or change\$4) replace \$4 (data adj packet) input output HCCID switching table	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/04 01:22
S94	646	rout\$5 domain compress\$4 header de\$compress\$4 (remove\$ or change\$4) replace \$4 (data adj packet) input output switching table	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/04 01:22
S95	93573	"709".clas.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/04 01:22
S96	118	S94 S95	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/04 01:22
S97	192	routing data packet compress \$5 header	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/04 01:23
S98	1	S96 S97	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/04 01:23
S99	0	(routing data packet compress \$5 header).ti.	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/04 01:32
S100	0	(routing data packet compress \$5 header).ti.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/04 01:32
S101	4	(routing compress\$5 header). ti.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/04 01:32
S102	4	(routing compress\$5 header). ti.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/04 01:33
S103	201	(compress\$5 header).ti.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/04 01:34
S104	1	S96 S103	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/04 01:34
S105	5012	709/238.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/04 01:36

S106	8	S94 S105	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/04 01:36
S107	1	routing data packets header \$compressed domain	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/09/04 01:37
S108	1	routing data packets header \$compressed domain	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/04 01:37
S109	1	routing data packets header compressed domain	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/04 01:38
S110	12	routing header compressed domain	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/04 01:38
S111	12	routing header compressed domain	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/04 01:38
S112	0	routing data packet compressed header reduce\$4 load router	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/07 18:58
S113	0	routing data packet compressed header reduce\$4 load router	US-PGPUB; USPAT; USOCR; IBM_TDB	NEAR	OFF	2010/09/07 18:58
S114	1679	routing data packet compressed header reduce\$4 load router	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/07 18:59
S115	1	routing data packet compressed header reduce\$4 load	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/07 18:59
S116	1	routing data packet compressed header load	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/07 18:59
S117	104	routing data packet compressed header	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/07 18:59
S118	4	(routing data packet compressed header).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/07 18:59
S119	1	(10/183413).APP.	USPAT; USOCR	AND	OFF	2010/09/07 19:01
S120	104	routing data packet compressed header	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/08 01:44
S121	0	S120 and (@rlad<="20020930" @ad<="20020930" @pd<="20020930")	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/08 01:46
S122	4	S120 and (@rlad<="20020930" @ad<="20020930" @pd<="20020930")	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/08 01:46

S123	1	(09/872654).APP.	USPAT; USOCR	AND	OFF	2010/09/08 01:48
S124	1	(09/357858).APP.	USPAT; USOCR	AND	OFF	2010/09/08 01:50
S125	1	(09/784722).APP.	USPAT; USOCR	AND	OFF	2010/09/08 01:54
S126	614	rout\$5 data packet\$4 compress \$5 header pay\$load cod\$4 information receiv\$5 input output forward\$5 header compress\$4 context identifier	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2010/09/08 01:55
S127	49	S126 and (@rlad<="20020930" @ad<="20020930" @pd<="20020930")	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2010/09/08 01:55
S128	26	routing data packet compressed header pay\$load	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/08 02:10
S129	3	(routing data compressed header pay\$load).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/08 02:11
S130	0	(routing data compressed header pay\$load)	US-PGPUB; USPAT; USOCR; IBM_TDB	NEAR	OFF	2010/09/08 02:14
S131	44	(routing data compressed header pay\$load)	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/08 02:15
S132	0	S131 and (@rlad<="20020930" @ad<="20020930" @pd<="20020930")	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/08 02:15
S133	285	forwarding data packet output interface routing compressed header coded information unchanged	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/08 13:50
S134	17	S133 and (@rlad<="20020930" @ad<="20020930" @pd<="20020930")	USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	AND	ON	2010/09/08 13:51
S135	1	forwarding data packet output interface routing compressed header coded information unchanged	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/08 14:05
S136	1	data packet routing compressed header coded information unchanged	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/08 14:05
S137	1	routing compressed header coded information unchanged	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/08 14:05
S138	1	routing compressed header coded unchanged	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/08 14:06

S139	5	compressed header coded unchanged	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/08 14:06
S140	8	("20020126675" "5812527" "5920566" "6278709" "6314095" "6721333" "6721333" "7079857" "7079857" "7136377" "7136377").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/08 16:29
S141	1	coded information unchanged	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/09/08 16:34
S142	15620	coded information	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/09/08 16:34
S143	48	coded information same unchanged	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/09/08 16:35
S144	1	"709".clas. and S143	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/09/08 16:35
S145	4	(compressed header).ti.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/09/08 16:36
S146	1	S143 S145	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/08 16:36
S147	19	(compressed header).ti.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/08 16:36
S148	3	"709".clas. and S147	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/08 16:37
S149	0	compressed header remains unchanged	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2010/09/08 16:39
S150	2	(compressed header unchanged).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/08 16:40
S151	88	(compressed header unchanged)	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/08 16:41
S152	151	(aalto or raisainen).in.	US-PGPUB; USPAT; USOCR; IBM_TDB	SAME	OFF	2010/09/08 16:42
S153	2358	header compressed pay\$load rout\$4 replac\$4 input output	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/08 16:42
S154	5	S152 and "709".clas.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/08 16:43

S155	1	S152 S153	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2010/09/08 16:43
S156	0	(10/333773).APP.	USPAT; USOCR	AND	OFF	2010/09/08 17:10
S157	1	(09/753365).APP.	USPAT; USOCR	AND	OFF	2010/09/08 17:16

EAST Search History (Interference)

< This search history is empty >

3/ 24/ 2011 11:40:08 AM

H:\ EAST\ Workspaces\ 10529195.wsp